


# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



(\* STANDARD SPLICE POSITION LOCATED AT CENTERLINE OF HANGER. 48" MAXIMUM OFFSET ALLOWED AT TRUSS TRACK SPLICE ASSEMBLY.

Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY

## 8' - 0" BRIDGE LENGTH


| Bridge Length (B L) | Runway Length (R L)    | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS     |         |        |        |        |         | RUNWAY DIMENSIONS |          |        |         | TOTAL HANGER POINTS |     |
|---------------------|------------------------|--------------------------------|--------------|-----------------------|---------|--------|--------|--------|---------|-------------------|----------|--------|---------|---------------------|-----|
|                     |                        |                                |              | TH2                   | TH3     | TH4    | TH5    | A3     | A4      | RS                | SD (Max) | TH1    | A1      |                     | FS  |
| 8' - 0              | 11' - 6                | 500 - C - 8 - 11 - 06          | 500          | 5 3/4"                | 8 3/8"  | 2 3/8" | 2 5/8" | 4 7/8" | 11 7/8" | 6' - 0            | 6'-0     | 2 3/8" | 11 3/8" | 12"                 | 6   |
|                     |                        | 500 - C - 8 - 11 - 20          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 4   |
|                     | 23' - 0                | 500 - C - 8 - 23 - 06          |              | 5 3/4"                | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 10                  |     |
|                     |                        | 500 - C - 8 - 23 - 20          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 4                   |     |
|                     | 28' - 0                | 500 - C - 8 - 28 - 25          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 25'-0    | 9 1/2" |         | 4                   |     |
|                     |                        | 33' - 0                        |              | 500 - C - 8 - 33 - 06 | 5 3/4"  |        |        |        |         |                   | 8 3/8"   | 6'-0   |         | 2 3/8"              | 18" |
|                     | 500 - C - 8 - 33 - 20  |                                |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 6                   |     |
|                     | 33' - 0                | 500 - C - 8 - 33 - 30          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 30'-0    | 9 1/2" |         | 4                   |     |
|                     |                        | 43' - 0                        |              | 500 - C - 8 - 43 - 06 | 5 3/4"  |        |        |        |         |                   | 8 3/8"   | 6'-0   |         | 2 3/8"              | 24" |
|                     | 500 - C - 8 - 43 - 20  |                                |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 6                   |     |
|                     | 53' - 0                | 500 - C - 8 - 53 - 06          |              | 5 3/4"                | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 20                  |     |
|                     |                        | 500 - C - 8 - 53 - 20          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 8                   |     |
|                     | 53' - 0                | 500 - C - 8 - 53 - 25          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 25'-0    | 9 1/2" |         | 6                   |     |
|                     |                        | 63' - 0                        |              | 500 - C - 8 - 63 - 06 | 5 3/4"  |        |        |        |         |                   | 8 3/8"   | 6'-0   |         | 2 3/8"              | 24  |
|                     | 500 - C - 8 - 63 - 20  |                                |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 8                   |     |
|                     | 63' - 0                | 500 - C - 8 - 63 - 30          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 30'-0    | 9 1/2" |         | 6                   |     |
|                     |                        | 78' - 0                        |              | 500 - C - 8 - 78 - 25 | 12 7/8" |        |        |        |         |                   | 15 1/2"  | 25'-0  |         | 9 1/2"              | 8   |
|                     | 83' - 0                |                                |              | 500 - C - 8 - 83 - 06 | 5 3/4"  |        |        |        |         |                   | 8 3/8"   | 6'-0   |         | 2 3/8"              | 30  |
|                     |                        | 500 - C - 8 - 83 - 20          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 10                  |     |
|                     | 93' - 0                | 500 - C - 8 - 93 - 30          |              | 12 7/8"               | 15 1/2" |        |        |        |         |                   | 30'-0    | 9 1/2" |         | 8                   |     |
| 103' - 0            |                        | 500 - C - 8 - 103 - 06         | 5 3/4"       | 8 3/8"                | 6'-0    | 2 3/8" | 38     |        |         |                   |          |        |         |                     |     |
|                     | 500 - C - 8 - 103 - 20 | 12 7/8"                        | 15 1/2"      | 20'-0                 | 9 1/2"  | 12     |        |        |         |                   |          |        |         |                     |     |
| 103' - 0            | 500 - C - 8 - 103 - 25 | 12 7/8"                        | 15 1/2"      | 25'-0                 | 9 1/2"  | 10     |        |        |         |                   |          |        |         |                     |     |
|                     | 123' - 0               | 500 - C - 8 - 123 - 30         | 12 7/8"      | 15 1/2"               | 30'-0   | 9 1/2" | 63"    | 10     |         |                   |          |        |         |                     |     |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)

# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY 10' - 0" BRIDGE LENGTH


| Bridge Length (B L)     | Runway Length (R L)     | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS |         |        |        |        |         | RUNWAY DIMENSIONS |          |        |         | TOTAL HANGER POINTS |    |
|-------------------------|-------------------------|--------------------------------|--------------|-------------------|---------|--------|--------|--------|---------|-------------------|----------|--------|---------|---------------------|----|
|                         |                         |                                |              | TH2               | TH3     | TH4    | TH5    | A3     | A4      | RS                | SD (Max) | TH1    | A1      |                     | FS |
| 10' - 0                 | 11' - 6                 | 500 - C - 10 - 11 - 06         | 500          | 5 3/4"            | 8 3/8"  | 4 3/8" | 2 5/8" | 4 7/8" | 19 7/8" | 8' - 0            | 6'-0     | 2 3/8" | 11 3/8" | 12"                 | 6  |
|                         |                         | 500 - C - 10 - 11 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 4  |
|                         | 23' - 0                 | 500 - C - 10 - 23 - 06         |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 18"                 | 10 |
|                         |                         | 500 - C - 10 - 23 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 4  |
|                         | 28' - 0                 | 500 - C - 10 - 28 - 25         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 25'-0    | 9 1/2" |         | 4                   |    |
|                         | 33' - 0                 | 500 - C - 10 - 33 - 06         |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 18"                 | 14 |
|                         |                         | 500 - C - 10 - 33 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 6  |
|                         | 33' - 0                 | 500 - C - 10 - 33 - 30         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 30'-0    | 9 1/2" |         | 4                   |    |
|                         | 43' - 0                 | 500 - C - 10 - 43 - 06         |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 24"                 | 16 |
|                         |                         | 500 - C - 10 - 43 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 6  |
|                         | 53' - 0                 | 500 - C - 10 - 53 - 06         |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 36"                 | 20 |
|                         |                         | 500 - C - 10 - 53 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 8  |
|                         | 63' - 0                 | 500 - C - 10 - 63 - 06         |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 36"                 | 24 |
|                         |                         | 500 - C - 10 - 63 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 8  |
|                         | 63' - 0                 | 500 - C - 10 - 63 - 30         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 30'-0    | 9 1/2" |         | 6                   |    |
|                         | 78' - 0                 | 500 - C - 10 - 78 - 25         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 25'-0    | 9 1/2" |         | 8                   |    |
|                         | 83' - 0                 | 500 - C - 10 - 83 - 06         |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 54"                 | 30 |
|                         |                         | 500 - C - 10 - 83 - 20         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 20'-0    | 9 1/2" |         |                     | 10 |
|                         | 93' - 0                 | 500 - C - 10 - 93 - 30         |              | 12 7/8"           | 15 1/2" |        |        |        |         |                   | 30'-0    | 9 1/2" |         | 8                   |    |
|                         | 103' - 0                | 500 - C - 10 - 103 - 06        |              | 5 3/4"            | 8 3/8"  |        |        |        |         |                   | 6'-0     | 2 3/8" |         | 54"                 | 38 |
| 500 - C - 10 - 103 - 20 |                         | 12 7/8"                        | 15 1/2"      | 20'-0             | 9 1/2"  | 12     |        |        |         |                   |          |        |         |                     |    |
| 500 - C - 10 - 103 - 25 |                         | 12 7/8"                        | 15 1/2"      | 25'-0             | 9 1/2"  | 10     |        |        |         |                   |          |        |         |                     |    |
| 123' - 0                | 500 - C - 10 - 123 - 30 | 12 7/8"                        | 15 1/2"      | 30'-0             | 9 1/2"  | 63"    | 10     |        |         |                   |          |        |         |                     |    |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)

# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY

## 15' - 0" BRIDGE LENGTH


| Bridge Length (B L)     | Runway Length (R L)     | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS       |         |       |        |        |         |         | RUNWAY DIMENSIONS |        |         |        | TOTAL HANGER POINTS |        |
|-------------------------|-------------------------|--------------------------------|--------------|-------------------------|---------|-------|--------|--------|---------|---------|-------------------|--------|---------|--------|---------------------|--------|
|                         |                         |                                |              | TH2                     | TH3     | TH4   | TH5    | A3     | A4      | RS      | SD (Max)          | TH1    | A1      | FS     |                     |        |
| 15' - 0                 | 23' - 0                 | 500 - C - 15 - 23 - 06         | 500          | 5 3/4"                  | 8 3/8"  | 5 3/8 | 2 5/8" | 4 7/8" | 19 7/8" | 13' - 0 | 6'-0              | 2 3/8" | 11 3/8" | 12"    | 10                  |        |
|                         |                         | 500 - C - 15 - 23 - 20         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         | 4      |                     |        |
|                         | 28' - 0                 | 500 - C - 15 - 28 - 25         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 25'-0             | 9 1/2" |         | 4      |                     |        |
|                         |                         | 33' - 0                        |              | 500 - C - 15 - 33 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            | 6'-0   |         | 2 3/8" | 18"                 | 14     |
|                         | 500 - C - 15 - 33 - 20  |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         | 6      |                     |        |
|                         | 33' - 0                 | 500 - C - 15 - 33 - 30         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 30'-0             | 9 1/2" |         | 4      |                     |        |
|                         |                         | 43' - 0                        |              | 500 - C - 15 - 43 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            | 6'-0   |         | 2 3/8" | 24"                 | 16     |
|                         | 500 - C - 15 - 43 - 20  |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         | 6      |                     |        |
|                         | 53' - 0                 | 500 - C - 15 - 53 - 06         |              | 5 3/4"                  | 8 3/8"  |       |        |        |         |         | 6'-0              | 2 3/8" |         | 36"    | 20                  |        |
|                         |                         | 500 - C - 15 - 53 - 20         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         |        | 8                   |        |
|                         | 53' - 0                 | 500 - C - 15 - 53 - 25         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 25'-0             | 9 1/2" |         |        | 6                   |        |
|                         |                         | 63' - 0                        |              | 500 - C - 15 - 63 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            | 6'-0   |         |        | 2 3/8"              | 24     |
|                         | 500 - C - 15 - 63 - 20  |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         |        | 8                   |        |
|                         | 63' - 0                 | 500 - C - 15 - 63 - 30         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 30'-0             | 9 1/2" |         |        | 6                   |        |
|                         |                         | 78' - 0                        |              | 500 - C - 15 - 78 - 25  | 12 7/8" |       |        |        |         |         | 15 1/2"           | 25'-0  |         |        | 9 1/2"              | 8      |
|                         | 83' - 0                 |                                |              | 500 - C - 15 - 83 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            | 6'-0   |         |        | 2 3/8"              | 30     |
|                         |                         | 500 - C - 15 - 83 - 20         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         |        | 10                  |        |
|                         | 93' - 0                 | 500 - C - 15 - 93 - 30         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 30'-0             | 9 1/2" |         |        | 54"                 | 8      |
|                         |                         | 103' - 0                       |              | 500 - C - 15 - 103 - 06 | 5 3/4"  |       |        |        |         |         | 8 3/8"            | 6'-0   |         |        |                     | 2 3/8" |
|                         | 500 - C - 15 - 103 - 20 |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         |        |                     | 12     |
| 500 - C - 15 - 103 - 25 | 12 7/8"                 | 15 1/2"                        | 25'-0        | 9 1/2"                  | 10      |       |        |        |         |         |                   |        |         |        |                     |        |
| 123' - 0                | 500 - C - 15 - 103 - 30 | 12 7/8"                        | 15 1/2"      | 30'-0                   | 9 1/2"  | 63"   | 10     |        |         |         |                   |        |         |        |                     |        |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)

# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY

## 20' - 0" BRIDGE LENGTH


| Bridge Length (B L)     | Runway Length (R L)     | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS       |         |        |        |        |         | RUNWAY DIMENSIONS |          |        |         | TOTAL HANGER POINTS |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|-------------------------|-------------------------|--------------------------------|--------------|-------------------------|---------|--------|--------|--------|---------|-------------------|----------|--------|---------|---------------------|--------|---------|---------|--------|--------|---------|--------|---------|---------|--------|--------|---------|---------|---------|---------|---------|--------|---------|--------|--------|---------|---------|---------|--------|--------|---------|--------|---------|---------|---------|--------|--------|---------|--------|---------|---------|---------|--------|--------|---------|-----|
|                         |                         |                                |              | TH2                     | TH3     | TH4    | TH5    | A3     | A4      | RS                | SD (Max) | TH1    | A1      |                     | FS     |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
| 20' - 0                 | 23' - 0                 | 500 - C - 20 - 23 - 06         | 500          | 5 3/4"                  | 8 3/8"  | 6 3/8" | 2 5/8" | 4 7/8" | 19 7/8" | 18' - 0           | 6'-0"    | 2 3/8" | 11 3/8" | 12"                 | 10     |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         |                         | 500 - C - 20 - 23 - 20         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   | 20'-0"   | 9 1/2" |         |                     | 4      |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 28' - 0                 | 500 - C - 20 - 28 - 25         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   | 25'-0"   | 9 1/2" |         | 4                   |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         |                         | 33' - 0                        |              | 500 - C - 20 - 33 - 06  | 5 3/4"  |        |        |        |         |                   | 8 3/8"   | 6 3/8" |         | 2 5/8"              | 4 7/8" | 19 7/8" | 18' - 0 | 6'-0"  | 2 3/8" | 11 3/8" | 18"    | 14      |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 500 - C - 20 - 33 - 20  |                                |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   | 20'-0"   |        |         |                     |        |         |         | 9 1/2" | 6      |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 33' - 0                 | 500 - C - 20 - 33 - 30         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   | 30'-0"   |        |         |                     |        |         |         | 9 1/2" | 4      |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         |                         | 43' - 0                        |              | 500 - C - 20 - 43 - 06  | 5 3/4"  |        |        |        |         |                   | 8 3/8"   |        |         |                     |        |         |         | 6 3/8" | 2 5/8" |         | 4 7/8" | 19 7/8" | 18' - 0 | 6'-0"  | 2 3/8" | 11 3/8" | 24"     | 16      |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 500 - C - 20 - 43 - 20  |                                |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   | 20'-0"   |        |         |                     |        |         |         |        |        |         |        |         |         | 9 1/2" | 6      |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 53' - 0                 | 500 - C - 20 - 53 - 06         |              | 5 3/4"                  | 8 3/8"  |        |        |        |         |                   | 6 3/8"   |        |         |                     |        |         |         |        |        |         |        |         |         | 2 5/8" | 4 7/8" |         | 19 7/8" | 18' - 0 | 18' - 0 | 6'-0"   | 2 3/8" | 11 3/8" | 36"    | 20     |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         |                         | 500 - C - 20 - 53 - 20         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 20'-0"  | 9 1/2" |         |        | 8      |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 53' - 0                 | 500 - C - 20 - 53 - 25         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 25'-0"  | 9 1/2" |         | 6      |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         |                         | 63' - 0                        |              | 500 - C - 20 - 63 - 06  | 5 3/4"  |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 8 3/8"  | 6 3/8" |         | 2 5/8" | 4 7/8" | 19 7/8" | 18' - 0 | 18' - 0 | 6'-0"  | 2 3/8" | 11 3/8" | 36"    | 24      |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 500 - C - 20 - 63 - 20  |                                |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 20'-0"  |        |         |        |        |         |         |         | 9 1/2" | 8      |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 63' - 0                 | 500 - C - 20 - 63 - 30         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 30'-0"  |        |         |        |        |         |         |         | 9 1/2" | 6      |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         |                         | 78' - 0                        |              | 500 - C - 20 - 78 - 25  | 12 7/8" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 15 1/2" |        |         |        |        |         |         |         | 25'-0" | 9 1/2" |         | 8      |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
|                         | 83' - 0                 |                                |              | 500 - C - 20 - 83 - 06  | 5 3/4"  |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 8 3/8"  |        |         |        |        |         |         |         | 6 3/8" | 2 5/8" |         | 4 7/8" | 19 7/8" | 18' - 0 | 18' - 0 | 6'-0"  | 2 3/8" | 11 3/8" | 54"    | 30      |         |         |        |        |         |     |
|                         |                         | 500 - C - 20 - 83 - 20         |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 20'-0"  |        |         |        |        |         |         |         |        |        |         |        |         |         |         | 9 1/2" | 10     |         |        |         |         |         |        |        |         |     |
|                         | 93' - 0                 | 500 - C - 20 - 936 - 30        |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 30'-0"  |        |         |        |        |         |         |         |        |        |         |        |         |         |         | 9 1/2" | 8      |         |        |         |         |         |        |        |         |     |
|                         |                         | 103' - 0                       |              | 500 - C - 20 - 103 - 06 | 5 3/4"  |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 8 3/8"  |        |         |        |        |         |         |         |        |        |         |        |         |         |         | 6 3/8" | 2 5/8" |         | 4 7/8" | 19 7/8" | 18' - 0 | 18' - 0 | 6'-0"  | 2 3/8" | 11 3/8" | 54" |
|                         | 500 - C - 20 - 103 - 20 |                                |              | 12 7/8"                 | 15 1/2" |        |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         | 20'-0"  |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         | 9 1/2" | 12     |         |     |
| 500 - C - 20 - 103 - 25 | 12 7/8"                 |                                | 15 1/2"      | 25'-0"                  | 9 1/2"  | 10     |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |
| 500 - C - 20 - 123 - 30 | 12 7/8"                 |                                | 15 1/2"      | 30'-0"                  | 9 1/2"  | 10     |        |        |         |                   |          |        |         |                     |        |         |         |        |        |         |        |         |         |        |        |         |         |         |         |         |        |         |        |        |         |         |         |        |        |         |        |         |         |         |        |        |         |        |         |         |         |        |        |         |     |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)

# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY

## 23' - 0" BRIDGE LENGTH


| Bridge Length (B L)     | Runway Length (R L)     | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS       |         |       |        |        |         |         | RUNWAY DIMENSIONS |        |         |        | TOTAL HANGER POINTS |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|-------------------------|-------------------------|--------------------------------|--------------|-------------------------|---------|-------|--------|--------|---------|---------|-------------------|--------|---------|--------|---------------------|---------|---------|--------|---------|---------|---------|---------|-----|--------|---------|-----|-----|---------|-----|-----|---------|-----|-----|
|                         |                         |                                |              | TH2                     | TH3     | TH4   | TH5    | A3     | A4      | RS      | SD (Max)          | TH1    | A1      | FS     |                     |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
| 23' - 0                 | 23' - 0                 | 500 - C - 23 - 23 - 06         | 500          | 5 3/4"                  | 8 3/8"  | 9 7/8 | 2 5/8" | 4 7/8" | 19 7/8" | 21' - 0 | 6'-0              | 2 3/8" | 11 3/8" | 12"    | 10                  |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|                         |                         | 500 - C - 23 - 23 - 20         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             | 9 1/2" |         |        | 4                   |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|                         | 28' - 0                 | 500 - C - 23 - 28 - 25         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 25'-0             | 9 1/2" |         | 4      |                     |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|                         |                         | 33' - 0                        |              | 500 - C - 23 - 33 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            | 9 7/8  |         | 2 5/8" | 4 7/8"              | 19 7/8" | 21' - 0 | 6'-0   | 2 3/8"  | 11 3/8" | 18"     | 14      |     |        |         |     |     |         |     |     |         |     |     |
|                         | 500 - C - 23 - 33 - 20  |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             |        |         |        |                     |         |         | 9 1/2" | 6       |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|                         | 33' - 0                 | 500 - C - 23 - 33 - 30         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 30'-0             |        |         |        |                     |         |         | 9 1/2" | 4       |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|                         |                         | 43' - 0                        |              | 500 - C - 23 - 43 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            |        |         |        |                     |         |         | 6'-0   | 2 3/8"  |         | 11 3/8" | 24"     | 16  |        |         |     |     |         |     |     |         |     |     |
|                         | 500 - C - 23 - 43 - 20  |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             |        |         |        |                     |         |         | 9 1/2" | 6       |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
|                         | 53' - 0                 | 500 - C - 23 - 53 - 06         |              | 5 3/4"                  | 8 3/8"  |       |        |        |         |         | 6'-0              |        |         |        |                     |         |         | 2 3/8" | 11 3/8" |         |         | 11 3/8" | 36" | 20     |         |     |     |         |     |     |         |     |     |
|                         |                         | 500 - C - 23 - 53 - 20         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 8      |         |     |     |         |     |     |         |     |     |
|                         | 53' - 0                 | 500 - C - 23 - 53 - 25         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 25'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 6      |         |     |     |         |     |     |         |     |     |
|                         |                         | 63' - 0                        |              | 500 - C - 23 - 63 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            |        |         |        |                     |         |         | 6'-0   |         |         |         |         |     | 2 3/8" | 11 3/8" | 36" | 54" | 24      |     |     |         |     |     |
|                         | 500 - C - 23 - 63 - 20  |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 8      |         |     |     |         |     |     |         |     |     |
|                         | 63' - 0                 | 500 - C - 23 - 63 - 30         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 30'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 6      |         |     |     |         |     |     |         |     |     |
|                         |                         | 78' - 0                        |              | 500 - C - 23 - 78 - 25  | 12 7/8" |       |        |        |         |         | 15 1/2"           |        |         |        |                     |         |         | 25'-0  |         |         |         |         |     | 9 1/2" |         |     |     | 8       |     |     |         |     |     |
|                         | 83' - 0                 |                                |              | 500 - C - 23 - 83 - 06  | 5 3/4"  |       |        |        |         |         | 8 3/8"            |        |         |        |                     |         |         | 6'-0   |         |         |         |         |     | 2 3/8" |         |     |     | 11 3/8" | 54" | 54" | 30      |     |     |
|                         |                         | 500 - C - 23 - 83 - 20         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 10     |         |     |     |         |     |     |         |     |     |
|                         | 93' - 0                 | 500 - C - 23 - 93 - 30         |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 30'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 8      |         |     |     |         |     |     |         |     |     |
|                         |                         | 103' - 0                       |              | 500 - C - 23 - 103 - 06 | 5 3/4"  |       |        |        |         |         | 8 3/8"            |        |         |        |                     |         |         | 6'-0   |         |         |         |         |     | 2 3/8" |         |     |     |         |     |     | 11 3/8" | 54" | 54" |
|                         | 500 - C - 23 - 103 - 20 |                                |              | 12 7/8"                 | 15 1/2" |       |        |        |         |         | 20'-0             |        |         |        |                     |         |         | 9 1/2" |         |         |         |         |     | 12     |         |     |     |         |     |     |         |     |     |
| 500 - C - 23 - 103 - 25 | 12 7/8"                 |                                | 15 1/2"      | 25'-0                   | 9 1/2"  | 10    |        |        |         |         |                   |        |         |        |                     |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |
| 123' - 0                | 500 - C - 23 - 123 - 30 | 12 7/8"                        | 15 1/2"      | 30'-0                   | 9 1/2"  | 10    |        |        |         |         |                   |        |         |        |                     |         |         |        |         |         |         |         |     |        |         |     |     |         |     |     |         |     |     |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)

# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY

## 28' - 0" BRIDGE LENGTH


| Bridge Length (B L) | Runway Length (R L)     | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS       |         |        |        |        |         | RUNWAY DIMENSIONS |          |        |         | TOTAL HANGER POINTS |         |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |
|---------------------|-------------------------|--------------------------------|--------------|-------------------------|---------|--------|--------|--------|---------|-------------------|----------|--------|---------|---------------------|---------|---------|---------|---------|--------|--------|---------|---------|---------|---------|--------|-----|--------|-----|-----|-----|
|                     |                         |                                |              | TH2                     | TH3     | TH4    | TH5    | A3     | A4      | RS                | SD (Max) | TH1    | A1      |                     | FS      |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |
| 28' - 0             | 23' - 0                 | 500 - C - 28 - 23 - 06         | 500          | 8"                      | 10 5/8" | 9 7/8  | 2 5/8" | 4 7/8" | 23 3/8" | 26' - 0           | 6'-0     | 2 3/8" | 22 1/4" | 12"                 | 10      |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |
|                     |                         | 500 - C - 28 - 23 - 20         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   | 20'-0    | 9 1/2" |         | 4                   |         |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |
|                     | 28' - 0                 | 500 - C - 28 - 28 - 25         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   | 25'-0    | 9 1/2" |         | 4                   |         |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |
|                     | 33' - 0                 | 500 - C - 28 - 33 - 06         |              | 8"                      | 10 5/8" |        |        |        |         |                   | 9 7/8    | 2 5/8" |         | 4 7/8"              | 23 3/8" | 26' - 0 | 22 1/4" | 6'-0    | 2 3/8" | 18"    | 14      |         |         |         |        |     |        |     |     |     |
|                     |                         | 500 - C - 28 - 33 - 20         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         | 20'-0   | 9 1/2" | 6      |         |         |         |         |        |     |        |     |     |     |
|                     | 33' - 0                 | 500 - C - 28 - 33 - 30         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         | 30'-0   | 9 1/2" | 4      |         |         |         |         |        |     |        |     |     |     |
|                     |                         | 43' - 0                        |              | 500 - C - 28 - 43 - 06  | 8"      |        |        |        |         |                   |          |        |         |                     |         |         |         | 10 5/8" | 6'-0   | 2 3/8" | 24"     | 16      |         |         |        |     |        |     |     |     |
|                     | 500 - C - 28 - 43 - 20  |                                |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         | 20'-0   | 9 1/2" | 6      |         |         |         |         |        |     |        |     |     |     |
|                     | 53' - 0                 | 500 - C - 28 - 53 - 06         |              | 8"                      | 10 5/8" |        |        |        |         |                   |          |        |         |                     |         |         |         | 9 7/8   | 2 5/8" | 4 7/8" | 23 3/8" | 26' - 0 | 22 1/4" | 6'-0    | 2 3/8" | 36" | 20     |     |     |     |
|                     |                         | 500 - C - 28 - 53 - 20         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 20'-0   | 9 1/2" |     | 8      |     |     |     |
|                     | 53' - 0                 | 500 - C - 28 - 53 - 25         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 25'-0   | 9 1/2" |     | 6      |     |     |     |
|                     |                         | 63' - 0                        |              | 500 - C - 28 - 63 - 06  | 8"      |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 10 5/8" | 6'-0   |     | 2 3/8" | 54" | 24  |     |
|                     | 500 - C - 28 - 63 - 20  |                                |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 20'-0   | 9 1/2" |     | 8      |     |     |     |
|                     | 63' - 0                 | 500 - C - 28 - 63 - 30         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 30'-0   | 9 1/2" |     | 6      |     |     |     |
|                     |                         | 78' - 0                        |              | 500 - C - 28 - 78 - 25  | 15 1/8" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 17 3/4" | 25'-0  |     | 9 1/2" |     | 8   |     |
|                     | 83' - 0                 |                                |              | 500 - C - 28 - 83 - 06  | 8"      |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 10 5/8" | 6'-0   |     | 2 3/8" |     | 63" | 30  |
|                     |                         | 500 - C - 28 - 83 - 20         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 20'-0   | 9 1/2" |     | 10     |     |     |     |
|                     | 93' - 0                 | 500 - C - 28 - 93 - 30         |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 30'-0   | 9 1/2" |     | 8      |     |     |     |
|                     |                         | 103' - 0                       |              | 500 - C - 28 - 103 - 06 | 8"      |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 10 5/8" | 6'-0   |     | 2 3/8" |     |     | 63" |
|                     | 500 - C - 28 - 103 - 20 |                                |              | 15 1/8"                 | 17 3/4" |        |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         | 20'-0   | 9 1/2" |     | 12     |     |     |     |
| 103' - 0            | 500 - C - 28 - 103 - 25 | 15 1/8"                        | 17 3/4"      | 25'-0                   | 9 1/2"  | 10     |        |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |
|                     | 123' - 0                | 500 - C - 28 - 123 - 30        | 15 1/8"      | 17 3/4"                 | 30'-0   | 9 1/2" | 10     |        |         |                   |          |        |         |                     |         |         |         |         |        |        |         |         |         |         |        |     |        |     |     |     |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)

# CEILING MOUNTED CRANES

# DIMENSIONAL DATA



Weights & Dimensions are approximate and may change without notice

## 500# CAPACITY

## 34' - 0" BRIDGE LENGTH

| Bridge Length (B L)     | Runway Length (R L)    | MODEL NUMBER<br>CAP C BL RL SD | Track Series | BRIDGE DIMENSIONS      |         |       |        |        |         |         | RUNWAY DIMENSIONS |        |        |        | TOTAL HANGER POINTS |
|-------------------------|------------------------|--------------------------------|--------------|------------------------|---------|-------|--------|--------|---------|---------|-------------------|--------|--------|--------|---------------------|
|                         |                        |                                |              | TH2                    | TH3     | TH4   | TH5    | A3     | A4      | RS      | SD (Max)          | TH1    | A1     | FS     |                     |
| 34' - 0                 | 28' - 0                | 500 - C - 34 - 28 - 25         | 500          | 15 1/8"                | 17 3/4" | 9 7/8 | 2 5/8" | 4 7/8" | 24 3/8" | 32' - 0 | 25'-0             | 9 1/2" | 18"    | 4      |                     |
|                         | 33' - 0                | 500 - C - 34 - 33 - 06         |              | 8"                     | 10 5/8" |       |        |        |         |         | 6'-0              | 2 3/8" |        | 14     |                     |
|                         |                        | 500 - C - 34 - 33 - 20         |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 20'-0             | 9 1/2" |        | 6      |                     |
|                         | 33' - 0                | 500 - C - 34 - 33 - 30         |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 30'-0             | 9 1/2" | 4      |        |                     |
|                         |                        | 43' - 0                        |              | 500 - C - 34 - 43 - 06 | 8"      |       |        |        |         |         | 10 5/8"           | 6'-0   | 2 3/8" | 24"    | 16                  |
|                         | 500 - C - 34 - 43 - 20 |                                |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 20'-0             | 9 1/2" | 6      |        |                     |
|                         | 53' - 0                | 500 - C - 34 - 53 - 06         |              | 8"                     | 10 5/8" |       |        |        |         |         | 6'-0              | 2 3/8" | 36"    | 20     |                     |
|                         |                        | 500 - C - 34 - 53 - 20         |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 20'-0             | 9 1/2" |        | 8      |                     |
|                         | 63' - 0                | 500 - C - 34 - 63 - 06         |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 25'-0             | 9 1/2" | 6      | 6      |                     |
|                         |                        | 500 - C - 34 - 63 - 20         |              | 8"                     | 10 5/8" |       |        |        |         |         | 6'-0              | 2 3/8" |        | 24     |                     |
|                         | 63' - 0                | 500 - C - 34 - 63 - 30         |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 20'-0             | 9 1/2" | 8      | 8      |                     |
|                         |                        | 78' - 0                        |              | 500 - C - 34 - 78 - 25 | 15 1/8" |       |        |        |         |         | 17 3/4"           | 30'-0  |        | 9 1/2" | 6                   |
|                         | 83' - 0                |                                |              | 500 - C - 34 - 83 - 06 | 15 1/8" |       |        |        |         |         | 17 3/4"           | 25'-0  | 9 1/2" | 8      | 8                   |
|                         |                        | 500 - C - 34 - 83 - 20         |              | 8"                     | 10 5/8" |       |        |        |         |         | 6'-0              | 2 3/8" | 30     |        |                     |
|                         | 93' - 0                | 500 - C - 34 - 93 - 30         |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 20'-0             | 9 1/2" | 54"    | 10     |                     |
|                         |                        |                                |              | 30'-0                  | 9 1/2"  |       |        |        |         |         | 8                 |        |        |        |                     |
|                         | 103' - 0               | 500 - C - 34 - 103 - 06        |              | 8"                     | 10 5/8" |       |        |        |         |         | 6'-0              | 2 3/8" | 63"    | 38     |                     |
|                         |                        | 500 - C - 34 - 103 - 20        |              | 15 1/8"                | 17 3/4" |       |        |        |         |         | 20'-0             | 9 1/2" |        | 12     |                     |
| 500 - C - 34 - 103 - 25 |                        | 15 1/8"                        | 17 3/4"      | 25'-0                  | 9 1/2"  | 10    |        |        |         |         |                   |        |        |        |                     |
| 500 - C - 34 - 123 - 30 |                        | 15 1/8"                        | 17 3/4"      | 30'-0                  | 9 1/2"  | 10    |        |        |         |         |                   |        |        |        |                     |

Note: A1 Dimension is 22 1/4" when using extended end truck.

(01-01-07)